




MARINE




Import available:  **MOTUS**



HEAVY DUTY(SMF)


TYPE	AH	CCA(-18°C) SAE	DIMENSIONS			TERMINALS	APPLICATIONS
			L	W	H		
70A-SMF	70	580	278	175	190	RIGHT	European
70A-SMFL	70	620	269	173	222	RIGHT	Asian
70A-SMFR	70	620	269	173	222	LEFT	Asian
72A-SMF	72	640	278	175	175	RIGHT	European
100A-SMFL	100	800	307	173	225	RIGHT	Asian
100A-SMFR	100	800	307	173	225	LEFT	Asian
100A-SMF	100	800	353	175	190	RIGHT	Asian
122A-SMF	122	830	514	175	190	LEFT	BHD
152A-SMF	152	880	514	189	223	LEFT	BHD
180A-SMF	180	1000	513	222	220	LEFT	European
180A-SMFT	180	1000	513	222	220	LEFT	European
200A-SMF	200	1100	513	222	220	LEFT	European
210A-SMF	210	1200	518	273	241	LEFT	European
240A-SMF	240	1300	518	273	241	LEFT	European





MARINE

TYPE	AH	SAE	APPLICATIONS	DIMENSIONS			TERMINALS
				L	W	H	
M24-65A-SMF	65	500	MARINE	260	174	222	TM(LEFT)
M24-80A-SMF	80	680	MARINE	260	174	222	TM(LEFT)
M27-90A-SMF	90	730	MARINE	304	173	225	TM(LEFT)
M27-95A-SMF	95	780	MARINE	304	173	225	TM(LEFT)
M31-100A-SMF	100	850	MARINE	330	173	240	TM(LEFT)



- Exclusive patented liquid separator
- Insulating Cover anti-ignition and avoid heat
- Low separators folders protect plates
- Polypropylene container
- Processed lead calcium grids